

I hereby certify that this correspondence is being deposited with the US Postal Services "Express Mail Post Office to Addressee" service under 37 CFR 1.10, Express Mail Label No. EV 346936842 US and addressed to MS Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:

Date: September 15, 2003

By: 
Carol A. See

PATENT
Docket No. GC590-2-C1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of)	
)	
Penttila et al.)	Group Art Unit: Unassigned
)	
Serial No.: Unassigned)	Examiner: Unassigned
)	
Filed: Herewith)	
)	
For: Increased Production of Secreted Proteins)	
By Recombinant Eukaryotic Cells)	

Information Disclosure Statement

MS Patent Application
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Applicants submit herewith patents, publications or other information (listed on the attached Form PTO-1449 and attached thereto) of which they are aware, that they believe may be material to the examination of this application and in respect of which there may be a duty to disclose in accordance with 37 CFR §1.56.

This Information Disclosure Statement:

- (a) ☒ accompanies the new patent application submitted herewith. 37 CFR §1.97(a).
- (b) ☐ is filed within three months after the filing date of the application or within three months after the date of entry into the national stage of a PCT application as set forth in 37 CFR §1.491.
- (c) ☐ as far as is known to the undersigned, is filed before the mailing date of a first Office Action on the merits.
- (d) ☐ is filed after the first Office Action and more than three months after the

application filing date or PCT national stage date of entry filing but, as far as is known to the undersigned, prior to the mailing date of either a final rejection or a notice of allowance, whichever occurs first, and is accompanied by either the fee (\$180.00) set forth in 37 CFR §1.17(p) or a certification as specified in 37 CFR §1.97(e), as checked below. Authorization to charge Deposit Account No. 07-1048 in the amount of \$180.00 to cover the cost of this Information Disclosure Statement is provided in the Transmittal Letter submitted herewith in duplicate.

(e) ☐ is filed after the mailing date of either a final rejection or a notice of allowance, whichever occurred first, and is accompanied by authorization (in the Transmittal Letter submitted herewith in duplicate) to charge Deposit Account No. 07-1048 the fee (\$180.00) set forth in 37 CFR §1.17(l)(1) and a certification as specified in 37 CFR §1.97(e), as checked below. **This document is to be considered as a petition requesting consideration of the Supplemental Information Disclosure Statement.**

[If either of boxes (d) or (e) is checked above, the following "certification" under 37 CFR §1.97(e) may need to be completed.] The undersigned certifies that:

☐ Each item of information contained in the Information Disclosure Statement was cited in a communication mailed from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this Information Disclosure Statement.

☐ No item of information contained in this Information Disclosure Statement was cited in a communication mailed from a foreign patent office in a counterpart foreign application or, to the knowledge of the undersigned after making reasonable inquiry, was known to any individual designated in 37 CFR §1.56(c) more than three months prior to the filing of this Information Disclosure Statement.

A copy of the items on Form PTO-1449 is supplied: PCT International Search Report for PCT/_____, filed _____ with attached patents and publications.

☐ each ☒ none ☐ only those listed below:

Those patent(s) or publication(s) which are marked with an asterisk (*) on the attached Form PTO-1449 are not supplied because they were previously cited by or submitted to the Office in a prior application, Serial No. 09/816,277 filed March 23, 2001.

Also, those patent(s) or publication(s) which are marked with two asterisks (**) on the attached Form PTO-1449 (**Books not sent**) are not supplied. Complete bibliographic information is unknown or unavailable. The cited publications are books or reference manuals and are commonly available. Reproduction of such publications would result in a voluminous submission.

A concise explanation of relevance of the items listed on PTO-1449 is:

- ☒ not given
- ☐ given for each listed item
- ☐ given for only non-English language listed item(s)
- ☐ in the form of an English language copy of a Search Report from a foreign patent office, issued in a counterpart application, which refers to the relevant portions of the references.

The Examiner is reminded that a "concise explanation of the relevance" of the submitted prior art "may be nothing more than identification of the particular figure or paragraph of the patent or publication which has some relation to the claimed invention." MPEP §609.


While the information and references disclosed in this Information Disclosure Statement may be "material" pursuant to 37 CFR §1.56, it is not intended to constitute an admission that any patent, publication or other information referred to therein is "prior art" for this invention unless specifically designated as such.

In accordance with 37 CFR §1.97(b), the filing of this Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 CFR §1.56(a) exists. It is submitted that the Information Disclosure Statement is

in compliance with 37 CFR §1.98 and MPEP §609 and the Examiner is respectfully requested to consider the listed references.

Respectfully submitted,

Date: 9/15/03


Victoria L. Boyd
Registration No. 43,510

Genencor International, Inc.
925 Page Mill Road
Palo Alto, CA 94304-1013
Tel: 650 846-7615
Fax: 650 845-6504

INFORMATION DISCLOSURE CITATION

Attorney Docket No.: GC590-2-C1	Serial No.: Unassigned
Applicant: Penttila et al.	
Filing Date: Filed Herewith	Group: Unassigned
Page <u>1</u> of <u>4</u>	Date of this Submission: September 15, 2003

US PATENT DOCUMENTS

Examiner's	Document				Sub-	Filing
Initial	Number	Date	Name	Class	Class	Date
	*5,010,182	4/23/91	Brake et al.	536	27	7/28/87
	*5,874,276	2/23/99	Fowler et al.	435	209	5/24/95

FOREIGN PATENT DOCUMENTS

Examiner's	Document				Sub-	Translation
Initials	Number	Date	Country	Class	Class	Yes/No
	*0 117 060	8/29/84	EPO			
	*0 362 179	4/04/90	EPO			
	*2 211 504	7/05/89	UK			
	*WO 90/13646	11/15/90	PCT			

OTHER DOCUMENTS

Examiner's	
Initials	Author, Title, Date, Pertinent Pages, etc.
	** Ausubel et al., Current Protocols in Molecular Biology, (1987) Greene Publishing and Wiley Interscience, N.Y., (Supplemental through 1999)
	*Altschul et al., "Basic Local Alignment Search Tool," J. of Mol. Biol., Vol. 215, pp. 403-410, 1990.
	*D. Benson et al., "GenBank", Nucleic Acids Research, Vol. 26, pp. 1-7, 1998
	*Blond-Elguindi et al., "Affinity Panning of a Library of Peptides Displayed on Bacteriophages Reveals the Binding Specificity of BiP," Cell, Vol. 75, pp. 717-728, November 1993
	*Chapman et al., "Translational attenuation mediated by an mRNA intron," Current Biology, Vol. 7, pp. 850-859, October 1997
	*Cox et al., "A Novel Mechanism for Regulating Activity of a Transcription Factor that Controls the Unfolded Protein Response," Cell, Vol. 87, pp. 391-404, November 1996
	*Cox et al., "Transcriptional Induction of Genes Encoding Endoplasmic Reticulum Resident Proteins Requires a Transmembrane Protein Kinase," Cell, Vol. 73, pp. 1197-1206, June 1993
	*Dunn-Coleman et al., "Commercial Levels of Chymosin Production by Aspergillus," Bio/Technology, Vol. 9, pp. 976-981, October 1991
	*Gething et al., "Cell-surface expression of influenza haemagglutinin from a cloned DNA copy of the RNA gene," Nature, Vol. 293, pp. 620-625, October 1981
	*Gietz et al., "Improved method for high efficiency transformation of intact yeast cells," Nucleic Acids Research, Vol. 20, p. 1425, 1992
	*Gonzalez et al., "Mechanism of non-spliceosomal mRNA splicing in the unfolded protein response pathway," EMBO J., Vol. 18, pp. 3119-3132, 1999
	*Graham et al., "Characteristics of Human Cell Line Transformed by DNA from Human Adenovirus Type 5," J. Gen. Virol. Vol. 36, pp. 59-72, 1977
	*Hammond et al., "Quality control on the secretory pathway," Curr. Biol., Vol. 7, pp. 523-529, 1995
	*Harmsen et al., "Overexpression of binding protein and disruption of the PMR1 gene synergistically stimulate secretion of bovine prochymosin but not plant Thaumatin in yeast," App. Microbiol. Biotechnol. Vol. 46, pp. 365-370, 1996
	*Harris et al., "Molecular cloning and nucleotide sequence of cDNA coding for calf preprochymosin," Nucleic Acids Research, Vol. 10, pp. 2177-2187, 1982
	*Heinkoff et al., "Amino acid substitution matrices from protein blocks," Proc. Natl. Acad. Sci. USA, Vol. 89, pp. 10915-10919, November 1992
	*Hess et al., "Cooperation of Glycolytic Enzymes," Adv. in Enzyme Reg., Vol. 7, pp. 149-167, 1968
Examiner	Date Considered
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

PTO-1449

INFORMATION DISCLOSURE CITATION

Attorney Docket No.: GC590-2-C1	Serial No.: Unassigned
Applicant: Penttila et al.	
Filing Date: Filed Herewith	Group: Unassigned
Page <u>2</u> of <u>4</u>	Date of this Submission: September 15, 2003

OTHER DOCUMENTS

	*Hitzeman et al., "Isolation and Characterization of the Yeast 3-Phosphoglycerokinase Gene (PGK) by an Immunological Screening Technique," J. of Biolog. Chem., Vol. 255, No. 24, pp. 12073-12080, 1980
	*Holland et al., "Isolation and Identification of Yeast Messenger Ribonucleic Acids Coding for Enolase, Glyceraldehyde-3-phosphate Dehydrogenase, and Phosphoglycerate Kinase," Biochemistry, Vol. 17, No. 23, pp. 4900-4907, 1978
	*Howard et al., "The unfolded protein response signal transducer Irep promotes secretion of heterologous proteins in <i>Saccharomyces cerevisiae</i> ," J. of Cell. Biochem. Suppl., no. 19B, 1995, p.209.
	*Hsiao et al., "High-frequency transformation of yeast by plasmids containing the cloned yeast ARG4 gene," Proc. Natl. Acad. Sci. USA, Vol. 76, pp. 3829-3833, August 1979
	*Jeenes et al., "Isolation and characterization of a novel stress-inducible PDI-family gene from <i>Aspergillus niger</i> ," Gene, vol. 193, 1997, pp. 151-156.
	*Kaiser et al., "The use of Phage Lambda Replacement Vectors in the Construction of Representative Genomic DNA Libraries," IRL Press, Oxford, pp. 1-47, 1985
	*Karlin et al., "Applications and statistics for multiple high-scoring segments in molecular sequences," Proc. Natl. Acad. Sci. USA, Vol. 90, pp. 5873-5877, June 1993
	*Kawahara et al., "Endoplasmic Reticulum Stress-induced mRNA Splicing Permits Synthesis of Transcriptions Factor Hac1p/Ern4p that Activates the Unfolded Protein Response," Mol. Biol. of the Cell, Vol. 8, pp. 1845-1862, October 1997
	*Keown et al., "Methods for Introducing DNA into Mammalian Cells," Methods in Enzymology, Vol. 185, pp. 527-537, 1990
	*McMillan et al., "The cellular response to unfolded proteins: intercompartmental signaling," Curr. Opinion in Biotechnology, Vol. 17, pp. 540-545, 1994
	*Mansour et al., "Disruption of the proto-oncogene int-2 in mouse embryo-derived stem cells: a general strategy for targeting mutations to non-selectable genes," Nature, Vol. 336, pp. 348-352, November 1988
	*Mantei et al., "Rabbit β -globin mRNA production in mouse L cells transformed with cloned rabbit β -globin chromosomal DNA," Nature, Vol. 281, pp. 40-46, September 1979
	*Mather et al., "Establishment and Characterization of Two Distinct Mouse Testicular Epithelial Cell Lines," Biol. of Reprod. Vol. 23, pp. 243-252, 1980
	*Motenecourt et al., "Selective Screening Methods for the Isolation of High Yielding Cellulase Mutants of <i>Trichoderma reesei</i> ," Amer. Chem. Society, Vol. 181, pp. 289-301, 1979
	*Mori et al., "Palindrome with Spacer of One Nucleotide Is Characteristic of the cis-Acting Unfolded Protein Response Element in <i>Saccharomyces cerevisiae</i> ," J. Biol. Chem., Vol. 273, No. 16, pp. 9912-9920, 1998
	Mori et al., "A Transmembrane Protein with a cdc2 /CDC28-Related Kinase Activity Is Required for Signaling from the ER to the Nucleus," Cell, Vol. 74, pp. 743-756, August 1993
	*Mori et al., "Cloning of <i>Saccharomyces cerevisiae</i> gene ERN4 encodin transcription factor UPRF responsible for the unfolded protein-response (UPR) pathway leading to the induction of ER-localized stress proteins," Chemical Abstracts, Vol. 128, no. 26, 29 June 1998 (1998-06-29) Columbus, Ohio, US
	*Needleman et al., "A General Method Applicable to the Search for Similarities in the Amino Acid Sequence of Two Proteins," J. Mol. Biol., Vol. 48, pp. 443-453, 1970
	*Pahl et al., "A novel signal transduction pathway from the endoplasmic reticulum to the nucleus is mediated by transcription factor NF- κ B," EMBO J., Vol. 14, pp. 2580-2588, 1995
	*Parlati et al., " <i>Saccharomyces cerevisiae</i> CNE1 Encodes an Endoplasmic Reticulum (ER) Membrane Protein with Sequence Similarity to Calnexin and Calreticulin and Functions as a Constituent of the ER Quality Control Apparatus," J. Biol. Chem., Vol. 270, pp. 244-253, January 1995
	*Pearson et al., "Improved tools for biological sequence comparison," Proc. Natl. Acad. Sci. USA, Vol. 85, pp. 2444-2448, April 1988
	*Penttila et al., "Expression of Two <i>Trichoderma reesei</i> Endoglucanases in the Yeast <i>Saccharomyces cerevisiae</i> ," Yeast, Vol. 3, pp. 175-185, 1987
	*Penttila et al., "A versatile transformation system for the cellulolytic filamentous fungus <i>Trichoderma reesei</i> ," Gene, Vol. 61, pp. 155-164, 1987
	*Punt et al., "Analysis of the role of the gene bIPa, encoding the major endoplasmic reticulum chaperone protein in the secretion of homologous and heterologous proteins in black <i>Aspergilli</i> ," Appl. Microbiol. Biotechnol, Vol. 50, pp. 447-454, 1998,
	*Robinson et al., "Protein Disulfide Isomerase Overexpression Increases Secretion of Foreign Proteins in <i>Saccharomyces cerevisiae</i> ," BioTechnology, Vol. 12, pp. 381-384, April 1994
Examiner	Date Considered
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	
PTO-1449	

Attorney Docket No.: GC590-2-C1	Serial No.: Unassigned
Applicant: Penttila et al.	
Filing Date: Filed Herewith	Group: Unassigned
Page <u>3</u> of <u>4</u>	Date of this Submission: September 15, 2003

OTHER DOCUMENTS

	*Ruohonen et al., "Modifications to the ADH1 promoter of <i>Saccharomyces cerevisiae</i> for efficient production of heterologous proteins," <i>J. of Biotechnology</i> , Vol. 39, pp. 193-203, 1995
	*Ruohonen et al., "Efficient secretion of <i>Bacillus amyloliquefaciens</i> α -amylase cells by its own signal peptide from <i>Saccharomyces cerevisiae</i> host," <i>Gene</i> , Vol. 59, pp. 161-170, 1987
	*Saloheimo et al., "A novel, small endoglucanase gene, eg15, from <i>Trichoderma reesei</i> isolated by expression in yeast," <i>Mol. Microbiol.</i> Vol. 13, pp. 219-228, 1994
	*Saloheimo et al., "The protein disulphide isomerase gene of the fungus <i>Trichoderma reesei</i> is induced by endoplasmic reticulum stress and regulated by the carbon source," <i>Mol. Gen. Genet.</i> Vol. 262, pp. 35-45, 1999
	** Sambrook et al., "Molecular Cloning: A Laboratory Manual, New York: Cold Spring Harbor Press, 1989
	*Shamu et al., "Oligomerization and phosphorylation of the Ire1p kinase during intracellular signaling from the endoplasmic reticulum to the nucleus," <i>EMBO J.</i> , Vol. 15, pp.3028-3039, 1996
	*Sherman, F., "Getting started with Yeast," <i>Methods in Enzymology</i> , Vol. 194, pp.3-21, 1991.
	*Shoemaker et al., "Molecular Cloning of Exo-Cellobiohydrolase I derived from <i>Trichoderma reesei</i> ," <i>Bio/Technology</i> , Vol. 1, pp. 691-696, 1983
	*Sidrauski et al., "The Transmembrane Kinase Ire1p Is a Site-Specific Endonuclease That Initiates mRNA Splicing in the Unfolded Protein Response," <i>Cell</i> , Vol. 90, pp. 1031-1039, 1997.
	*Sidrauski et al., "tRNA Ligase Is Required for Regulated mRNA Splicing in the Unfolded Protein Response," <i>Cell</i> , Vol. 87, pp. 405-413, 1996.
	*Smith, T., "Comparison of Biosequences," <i>Adv. In App. Math.</i> Vol. 2, pp 482-489, 1981.
	*Solingen et al., "Fusion of Yeast Spheroplasts," <i>J. of Bacteriol.</i> , Vol. 130, pp. 946-947, 1977.
	*Stalbrand et al., "Cloning and expression in <i>Saccharomyces cerevisiae</i> of a <i>Trichoderma reesei</i> β -Mannanase Gene Containing a Cellulose Binding Domain," <i>App Environ. Microbiol.</i> Vol. 61, pp. 1090-1098, 1995
	*Urlaub et al., "Isolation of Chinese hamster cell mutants deficient in dihydrofolate reductase activity," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 77, pp. 4216-4220, July 1980
	*Verduyn et al., "Effect of Benzoic Acid on Metabolic Fluxes in Yeasts: A Continuous-Culture Study on the Regulation of Respiration and Alcoholic Fermentation," <i>Yeast</i> , Vol. 8, pp. 501-517, 1992
	*Wach et al., "New Heterologous Modules for Classical or PCR-based Gene Disruptions in <i>Saccharomyces cerevisiae</i> ," <i>Yeast</i> , Vol. 10, pp. 1793-1808, 1994

Examiner	Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

PTO-1449

INFORMATION DISCLOSURE CITATION

Attorney Docket No.: GC590-2-C1	Serial No.: Unassigned
Applicant: Penttila et al.	
Filing Date: Filed Herewith	Group: Unassigned
Page <u>4</u> of <u>4</u>	Date of this Submission: September 15, 2003

US PATENT DOCUMENTS

Examiner's	Document				Sub-	Filing
Initial	Number	Date	Name	Class	Class	Date

FOREIGN PATENT DOCUMENTS

Examiner's	Document				Sub-	Translation
Initials	Number	Date	Country	Class	Class	Yes/No

OTHER DOCUMENTS

Examiner's	
Initials	Author, Title, Date, Pertinent Pages, etc.
	** Wang et al., 2000, Current Genetics, In Press
	*Weihiinda et al., "Protein Serine/Threonine Phosphatase Ptc2p Negatively Regulates the Unfolded-Protein Response by Dephosphorylating Ire1p Kinase," Mol. and Cell. Biol., Vol. 18, pp. 1967-1977, 1998
	*Wiertz et al., "Sec61-mediated transfer of a membrane protein from the endoplasmic reticulum to the proteasome for destruction," Nature, Vol. 384, pp. 432-438, 1996
	*DATABASED EMBL EBI; October 20, 1998 (1998-10-20) "A. nidulans cDNA clone z2g07a1.r1"
	*DATABASED EMBL EBI; February 8, 1998 (1998-02-08) "A. nidulans cDNA clone c7a10a1.f1"
	*DATABASED EMBL EBI; February 8, 1998 (1998-02-08) "A. nidulans cDNA clone i2c04a1.f1"
	*DATABASED EMBL EBI; May 20, 1998 (1998-05-20) "A. nidulans cDNA clone v1h01a1.r1"
	*DATABASED EMBL EBI; November 8, 1999 (1999-11-08) "Metarhizium anisopliae mRNA; expressed sequence tag Ma#1855"
	*DATABASED SWALL EBI; November 1, 1995 (1999-11-01) "HAC1 of S. cerevisiae"
	*DATABASED SWALL EBI; November 1, 1995 (1999-11-01) "Protein phosphatase 2C homolog 2 (PP2C-2) of S. pombe"
	*DATABASED SWALL EBI; October 1, 1993 (1993-10-01) "Ser/Thr protein kinase IRE1 precursor of S. cerevisiae"
Examiner	Date Considered
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	